

**RECOMMEND USING SEALITUP HI SPEED (605) TIRE SEALANT**

**PASSENGER CARS, LIGHT TRUCK, & SUV TIRES**

TIRE SIZE	Tire Sealant required (ML)
<b>13" RIMS</b>	
175/50-13	280
215/50-13	370
235/50-13	420
245/50-13	440
185/60-13	320
195/60-13	350
205/60-13	370
215/60-13	400
235/60-13	450
165/65-13	280
195/65-13	360
155/70-13	270
165/70-13	290
175/70-13	320
185/70-13	340
195/70-13	370
205/70-13	400
145/80-13	260
155/80-13	280
165/80-13	310
175/80-13	340
185/80-13	360

<b>14" RIMS</b>	
245/50-14	460
265/50-14	510
255/55-14	510
175/60-14	310
185/60-14	340
195/60-14	360
205/60-14	390
215/60-14	410
225/60-14	440
235/60-14	470
245/60-14	500
255/60-14	530
265/60-14	560
275/60-14	590
155/65-14	270
165/65-14	300
175/65-14	320
185/65-14	350
195/65-14	370
215/65-14	430
175/70-14	330
185/70-14	360

TIRE SIZE	Tire Sealant required (ML)
195/70-14	390
205/70-14	410
215/70-14	440
225/70-14	470
235/70-14	500
245/70-14	540
175/75-14	340
195/75-14	400
215/75-14	460
245/75-14	550

<b>15" RIMS</b>	
195/50-15	350
205/50-15	380
225/50-15	430
245/50-15	480
265/50-15	540
275/50-15	560
295/50-15	620
305/50-15	650
325/50-15	720
195/55-15	370
205/55-15	390
225/55-15	440
255/55-15	530
185/60-15	350
195/60-15	380
205/60-15	400
215/60-15	430
225/60-15	460
235/60-15	490
245/60-15	520
255/60-15	550
265/60-15	580
275/60-15	610
325/60-15	780
185/65-15	360
195/65-15	390
205/65-15	420
215/65-15	450
225/65-15	470
235/65-15	510
255/65-15	570
185/70-15	370
195/70-15	400
205/70-15	430
215/70-15	460

TIRE SIZE	Tire Sealant required (ML)
225/70-15	490
235/70-15	520
245/70-15	550
255/70-15	590
265/70-15	620
285/70-15	690
315/70-15	810
195/75-15	410
215/75-15	470
205/75-15	440
235/75-15	540
255/75-15	610
265/75-15	640
6.70-15	450
7.00-15	480
29x9.5-15	560
30x9.50-15	580
31x10.50-15	660
31x11.5-15	720
32x11.5-15	740
33x12.5-15	830
35x12.5-15	880
35x14-15	990
36x14.5-15	1050

<b>16" RIMS</b>	
205/40-16	370
215/40-16	390
245/45-16	480
265/45-16	530
205/50-16	390
225/50-16	450
235/50-16	470
245/50-16	500
255/50-16	530
265/50-16	560
275/50-16	590
205/55-16	410
215/55-16	430
225/55-16	460
235/55-16	490
205/60-16	420
215/60-16	450
225/60-16	480
235/60-16	510
255/60-16	570
235/70-16	540

**FOR ANY TUBE TYPE TIRE, USE THE DOSAGE AMOUNT SHOWN BUT BE CERTAIN TO USE DELTA FIRST'S SPECIALLY DESIGNED SEALITUP TUBE SEALANT.**

**RECOMMEND USING SEALITUP HI SPEED (605) TIRE SEALANT**

**PASSENGER CARS, LIGHT TRUCK, & SUV TIRES**

TIRE SIZE	Tire Sealant required (ML)
245/70-16	570
255/70-16	610
265/70-16	640
225/75-16	520
235/75-16	560
245/75-16	590
265/75-16	670
285/75-16	740
315/75-16	860
155/80-16	320
325/80-16	940
215/85-16	520
235/85-16	590
255/85-16	670
325/85-16	970
6.50-16	450
7.50-16	570

**16.5" RIMS**

8.00-16.5	450
8.75-16.5	510
9.50-16.5	570
10-16.5	710
12-16.5	830
36x15.5-16.5	1120
37x12.5-16.5	930
38x15.5-16.5	1190

**17" RIMS**

285/35-17	560
315/35-17	640
335/35-17	700
205/40-17	380
215/40-17	410
235/40-17	460
245/40-17	480
255/40-17	510
275/40-17	560
215/45-17	420
225/45-17	450
235/45-17	470
245/45-17	500
255/45-17	530
315/45-17	700
205/50-17	410
215/50-17	440
225/50-17	460
235/50-17	490

TIRE SIZE	Tire Sealant required (ML)
255/50-17	550
225/55-17	480
235/55-17	510
275/60-17	650
285/60-17	690
305/60-17	760
215/65-17	480
235/65-17	540
245/65-17	570
255/65-17	610
265/65-17	640
275/65-17	680
235/70-17	560
245/70-17	590
265/70-17	660
285/70-17	740
315/70-17	860
245/75-17	610
235/80-17	590
35x12.50x17	880
37x12.50x17	930

**18" RIMS**

285/30-18	560
295/30-18	590
335/30-18	690
215/35-18	410
225/35-18	430
245/35-18	480
255/35-18	510
265/35-18	530
275/35-18	560
285/35-18	590
215/40-18	420
225/40-18	450
235/40-18	480
245/40-18	500
255/40-18	530
265/40-18	550
275/40-18	580
225/45-18	470
245/45-18	520
255/45-18	550
295/45-18	670
235/50-18	510
255/55-18	590

TIRE SIZE	Tire Sealant required (ML)
275/55-18	650
285/55-18	690
305/55-18	750
225/60-18	510
255/60-18	610
285/60-18	710
315/60-18	820
235/65-18	560
275/65-18	700
285/65-18	740
325/65-18	890
275/70-18	720
275/75-18	750

**19" RIMS**

275/30-19	560
235/35-19	480
245/35-19	500
255/35-19	530
245/40-19	520
255/40-19	550
275/40-19	600
245/45-19	540
255/45-19	570

**20" RIMS**

275/30-20	580
285/30-20	610
225/35-20	470
245/35-20	520
255/35-20	550
275/35-20	600
245/40-20	540
295/40-20	690
305/40-20	720
275/45-20	650
295/45-20	710
265/50-20	640
285/50-20	710
305/50-20	770
325/50-20	840
275/55-20	700
275/60-20	720
325/60-20	910
225/70-20	580
245/70-20	650
265/70-20	730
285/70-20	810
305/70-20	890

**FOR ANY TUBE TYPE TIRE, USE THE DOSAGE AMOUNT SHOWN BUT BE CERTAIN TO USE DELTA FIRST'S SPECIALLY DESIGNED SEALITUP TUBE SEALANT.**

**RECOMMEND USING SEALITUP HI SPEED (605) TIRE SEALANT**

**PASSENGER CARS, LIGHT TRUCK, & SUV TIRES**

TIRE SIZE		Tire Sealant required (ML)	TIRE SIZE		Tire Sealant required (ML)	TIRE SIZE		Tire Sealant required (ML)
<b>22" RIMS</b>			<b>23" RIMS</b>			<b>24" RIMS</b>		
295/25-22		650	305/40-23		760	295/35-24		750
265/30-22		600				305/35-24		780
265/35-22		620						
285/35-22		680						
265/40-22		640						
305/40-22		760						
325/40-22		830						
285/45-22		730						
305/45-22		790						

**FOR ANY TUBE TYPE TIRE, USE THE DOSAGE AMOUNT SHOWN BUT BE CERTAIN TO USE DELTA FIRST'S SPECIALLY DESIGNED SEALITUP TUBE SEALANT.**